

Nuclide Analysis Results of Fish and Shellfish (In the Port of Fukushima Daiichi NPS) < 1/5 >

(Data summarized on February 19)

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density [Bq/kg (Raw)] (Half-life) | | |
|--|---|------------------|--|------------------------------|-------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | Total |
| Greenling (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the Shallow Draft Quay) | January 6, 2014 | 1700 | 4100 | 5800 |
| Schlegel's black rockfish (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the Shallow Draft Quay) | January 6, 2014 | 430 | 850 | 1280 |
| Schlegel's black rockfish (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the Shallow Draft Quay) | January 21, 2014 | 470 | 1200 | 1670 |
| Sebastes cheni (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the Shallow Draft Quay) | January 21, 2014 | 6600 | 16000 | 22600 |
| Brown hakeling (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the East Seawall Break) | January 9, 2014 | 720 | 1700 | 2420 |
| Common Japanese conger (Muscle) | In the Port of Fukushima Daiichi NPS (Around the East Seawall Break) | January 9, 2014 | 650 | 1500 | 2150 |
| Sea raven (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the East Seawall Break) | January 21, 2014 | 160 | 400 | 560 |
| Brown hakeling (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the East Seawall Break) | January 23, 2014 | 130 | 300 | 430 |
| Spotbelly rockfish (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the East Seawall Break) | January 23, 2014 | 20000 | 49000 | 69000 |
| Greenling (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the South Breakwater) | January 23, 2014 | 230 | 600 | 830 |

* When the measurement value is below the detection limit, "ND" is marked. The detection limits are as follows.

* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

Nuclide Analysis Results of Fish and Shellfish
(In the Port of Fukushima Daiichi NPS) < 2/5 >

(Data summarized on February 19)

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density [Bq/kg (Raw)] (Half-life) | | |
|--|---|------------------|--|------------------------------|--------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | Total |
| Marbled sole (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the South Breakwater) | January 28, 2014 | 190 | 520 | 710 |
| Sebastes cheni (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the North Breakwater) | January 6, 2014 | 39000 | 94000 | 133000 |
| Marbled sole (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the North Breakwater) | January 6, 2014 | 220 | 530 | 750 |
| Spotbelly rockfish (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the North Breakwater) | January 9, 2014 | 13000 | 32000 | 45000 |
| Greenling (Muscle) No.3 | In the Port of Fukushima Daiichi NPS (Around the North Breakwater) | January 21, 2014 | 610 | 1500 | 2110 |
| Marbled sole (Muscle) No.3 | In the Port of Fukushima Daiichi NPS (Around the North Breakwater) | January 21, 2014 | 460 | 1200 | 1660 |
| Schlegel's black rockfish (Muscle) No.3 | In the Port of Fukushima Daiichi NPS (Around the North Breakwater) | January 23, 2014 | 5800 | 14000 | 19800 |
| Greenling (Muscle) No.4 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 5, 2014 | 940 | 2200 | 3140 |
| Jacopever (Muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 5, 2014 | 28000 | 67000 | 95000 |
| Jacopever (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 5, 2014 | 51000 | 120000 | 171000 |

* When the measurement value is below the detection limit, "ND" is marked. The detection limits are as follows.

* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

**Nuclide Analysis Results of Fish and Shellfish
(In the Port of Fukushima Daiichi NPS) < 3/5 >**

(Data summarized on February 19)

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density [Bq/kg (Raw)] (Half-life) | | |
|----------------------------------|--|------------------|--|------------------------------|-------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | Total |
| Marbled sole (Muscle) No.4 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 5, 2014 | 99 | 270 | 369 |
| Flog sculpin (Muscle) | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 7, 2014 | 110 | 210 | 320 |
| Sebastes cheni (Muscle) No.3 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 7, 2014 | 20000 | 48000 | 68000 |
| Common skete (Muscle) | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 14, 2014 | 170 | 470 | 640 |
| Sebastes cheni (Muscle) No.4 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 14, 2014 | 7100 | 17000 | 24100 |
| Spotted halibut (Muscle) | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 14, 2014 | 13 | 33 | 46 |
| Striped mullet (Muscle) | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 14, 2014 | 36 | 100 | 136 |
| Marbled sole (Muscle) No.5 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 14, 2014 | ND(21) | 47 | 47 |
| Marbled sole (Muscle) No.6 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 14, 2014 | 4600 | 11000 | 15600 |
| Spotbelly rockfish (Muscle) No.3 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 14, 2014 | 1300 | 3300 | 4600 |

* When the measurement value is below the detection limit, "ND" is marked. The detection limits are as follows.

* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

**Nuclide Analysis Results of Fish and Shellfish
(In the Port of Fukushima Daiichi NPS) < 4/5 >**

(Data summarized on February 19)

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density [Bq/kg (Raw)] (Half-life) | | |
|---|---|------------------|--|------------------------------|-------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | Total |
| Schlegel's black rockfish (Muscle) No.4 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 20, 2014 | 120 | 270 | 390 |
| Marbled sole (Muscle) No.7 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 20, 2014 | 15000 | 35000 | 50000 |
| Marbled sole (Muscle) No.8 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 20, 2014 | 850 | 2200 | 3050 |
| Spotbelly rockfish (Muscle) No.4 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 20, 2014 | 4400 | 11000 | 15400 |
| Spotbelly rockfish (Muscle) No.5 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 20, 2014 | 18000 | 42000 | 60000 |
| Greenling (Muscle) No.5 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 27, 2014 | 260 | 650 | 910 |
| Greenling (Muscle) No.6 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 27, 2014 | 11000 | 28000 | 39000 |
| Schlegel's black rockfish (Muscle) No.5 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 27, 2014 | 120 | 320 | 440 |
| Sea raven (Muscle) No.2 | In the Port of Fukushima Daiichi NPS (Around the Port Entrance) | January 27, 2014 | 23 | 65 | 88 |
| Sebastes cheni (Muscle) No.5 | In the Port of Fukushima Daiichi NPS (Around the center of the port) | January 15, 2014 | 11000 | 27000 | 38000 |

* When the measurement value is below the detection limit, "ND" is marked. The detection limits are as follows.

* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg

Nuclide Analysis Results of Fish and Shellfish (In the Port of Fukushima Daiichi NPS) < 5/5 >

(Data summarized on February 19)

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density [Bq/kg (Raw)] (Half-life) | | |
|--|---|------------------|--|------------------------------|-------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | Total |
| Marbled sole (Muscle) No.9 | In the Port of Fukushima Daiichi NPS (Around the center of the port) | Jan 15, 2014 | 390 | 940 | 1330 |
| Schlegel's black rockfish (Muscle) No.6 | In the Port of Fukushima Daiichi NPS (Around the center of the port) | Jan 28, 2014 | 3700 | 9200 | 12900 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

* When the measurement value is below the detection limit, "ND" is marked. The detection limits are as follows.

* Standard Value (after April 1, 2012) Cs-134+Cs-137: 100Bq/kg